

REFERENCIAS DEL CURSO CFT

1. Andrews NE, Strong J, Meredith PJ. Activity pacing, avoidance, endurance, and associations with patient functioning in chronic pain: a systematic review and meta-analysis. *Arch Phys Med Rehabil.* 2012; 93: 2109– 2121.e7.
<http://dx.doi.org/10.1016/j.apmr.2012.05.029>
2. Assendelft WJ, Morton SC, Yu EI, Suttorp MJ, Shekelle PG. Spinal manipulative therapy for low back pain. *Cochrane Database Syst Rev.* 2004: CD000447.
<http://dx.doi.org/10.1002/14651858.CD000447.pub2>
3. Bartley EJ, Fillingim RB. Sex differences in pain: a brief review of clinical and experimental findings. *Br J Anaesth.* 2013; 111: 52– 58.
<http://dx.doi.org/10.1093/bja/aet127>
4. Battié MC, Videman T, Levalahti E, Gill K, Kaprio J. Heritability of low back pain and the role of disc degeneration. *Pain.* 2007; 131: 272– 280.
<http://dx.doi.org/10.1016/j.pain.2007.01.010>
5. Bialosky JE, Bishop MD, Price DD, Robinson ME, George SZ. The mechanisms of manual therapy in the treatment of musculoskeletal pain: a comprehensive model. *Man Ther.* 2009; 14: 531– 538. <http://dx.doi.org/10.1016/j.math.2008.09.001>
6. Björck-van Dijken C, Fjellman-Wiklund A, Hildingsson C. Low back pain, lifestyle factors and physical activity: a population based-study. *J Rehabil Med.* 2008; 40: 864– 869. <http://dx.doi.org/10.2340/16501977-0273>
7. Brinjikji W, Luetmer PH, Comstock B, et al. Systematic literature review of imaging features of spinal degeneration in asymptomatic populations. *AJNR Am J Neuroradiol.* 2015; 36: 811– 816. <http://dx.doi.org/10.3174/ajnr.A4173>
8. Bunzli S, Watkins R, Smith A, Schutze R, O'Sullivan P. Lives on hold: a qualitative synthesis exploring the experience of chronic low-back pain. *Clin J Pain.* 2013; 29: 907– 916. <http://dx.doi.org/10.1097/AJP.0b013e31827a6dd8>
9. Chaparro LE, Furlan AD, Deshpande A, Mailis-Gagnon A, Atlas S, Turk DC. Opioids compared to placebo or other treatments for chronic low-back pain. *Cochrane Database Syst Rev.* 2013: CD004959.
<http://dx.doi.org/10.1002/14651858.CD004959.pub4>
10. Costa LC, Maher CG, McAuley JH, Hancock MJ, Smeets RJ. Self-efficacy is more important than fear of movement in mediating the relationship between pain and disability in chronic low back pain. *Eur J Pain.* 2011; 15: 213– 219.
<http://dx.doi.org/10.1016/j.ejpain.2010.06.014>
11. Darlow B, Dean S, Perry M, Mathieson F, Baxter GD, Dowell A. Easy to harm, hard to heal: patient views about the back. *Spine (Phila Pa 1976).* 2015; 40: 842– 850.
<http://dx.doi.org/10.1097/BRS.0000000000000901>
12. Deyo RA, Mirza SK, Turner JA, Martin BI. Overtreating chronic back pain: time to back off? *J Am Board Fam Med.* 2009; 22: 62– 68.
<http://dx.doi.org/10.3122/jabfm.2009.01.080102>
13. Driessen MT, Proper KI, van Tulder MW, Anema JR, Bongers PM, van der Beek AJ. The effectiveness of physical and organisational ergonomic interventions on low back

- pain and neck pain: a systematic review. *Occup Environ Med.* 2010; 67: 277– 285.
<http://dx.doi.org/10.1136/oem.2009.047548>
14. Dunn KM, Hestbaek L, Cassidy JD. Low back pain across the life course. *Best Pract Res Clin Rheumatol.* 2013; 27: 591– 600.
<http://dx.doi.org/10.1016/j.berh.2013.09.007>
15. Geisser ME, Haig AJ, Wallbom AS, Wiggert EA. Pain-related fear, lumbar flexion, and dynamic EMG among persons with chronic musculoskeletal low back pain. *Clin J Pain.* 2004; 20: 61– 69.
16. Gore M, Sadosky A, Stacey BR, Tai KS, Leslie D. The burden of chronic low back pain: clinical comorbidities, treatment patterns, and health care costs in usual care settings. *Spine (Phila Pa 1976).* 2012; 37: E668– E677.
<http://dx.doi.org/10.1097/BRS.0b013e318241e5de>
17. Hall AM, Ferreira PH, Maher CG, Latimer J, Ferreira ML. The influence of the therapist-patient relationship on treatment outcome in physical rehabilitation: a systematic review. *Phys Ther.* 2010; 90: 1099– 1110.
<http://dx.doi.org/10.2522/ptj.20090245>
18. Hasenbring MI, Verbunt JA. Fear-avoidance and endurance-related responses to pain: new models of behavior and their consequences for clinical practice. *Clin J Pain.* 2010; 26: 747– 753. <http://dx.doi.org/10.1097/AJP.0b013e3181e104f2>
19. Hayden J, van Tulder MW, Malmivaara A, Koes BW. Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev.* 2005; 3: CD000335.
<http://dx.doi.org/10.1002/14651858.CD000335.pub2>
20. Hestbaek L, Korsholm L, Leboeuf-Yde C, Kyvik KO. Does socioeconomic status in adolescence predict low back pain in adulthood? A repeated cross-sectional study of 4,771 Danish adolescents. *Eur Spine J.* 2008; 17: 1727– 1734.
<http://dx.doi.org/10.1007/s00586-008-0796-5>
21. Hoogendoorn WE, van Poppel MN, Bongers PM, Koes BW, Bouter LM. Systematic review of psychosocial factors at work and private life as risk factors for back pain. *Spine (Phila Pa 1976).* 2000; 25: 2114– 2125.
22. Hoy D, March L, Brooks P, et al. The global burden of low back pain: estimates from the Global Burden of Disease 2010 study. *Ann Rheum Dis.* 2014; 73: 968– 974.
<http://dx.doi.org/10.1136/annrheumdis-2013-204428>
23. Hush JM, Cameron K, Mackey M. Patient satisfaction with musculo skeletal physical therapy care: a systematic review. *Phys Ther.* 2011; 91: 25– 36.
<http://dx.doi.org/10.2522/ptj.20100061>
24. Jarvik JG, Hollingworth W, Heagerty PJ, Haynor DR, Boyko EJ, Deyo RA. Three-year incidence of low back pain in an initially asymptomatic cohort: clinical and imaging risk factors. *Spine (Phila Pa 1976).* 2005; 30: 1541– 1548; discussion 1549.
<http://dx.doi.org/10.1097/01.brs.0000167536.60002.87>
25. Kelly GA, Blake C, Power CK, O'Keefe D, Fullen BM. The association between chronic low back pain and sleep: a systematic review. *Clin J Pain.* 2011; 27: 169– 181.
<http://dx.doi.org/10.1097/AJP.0b013e3181f3bdd5>

26. Lin IB, O'Sullivan PB, Coffin JA, Mak DB, Toussaint S, Straker LM. Disabling chronic low back pain as an iatrogenic disorder: a qualitative study in Aboriginal Australians. *BMJ Open*. 2013; 3: e002654. <http://dx.doi.org/10.1136/bmjopen-2013-002654>
27. Mafi JN, McCarthy EP, Davis RB, Landon BE. Worsening trends in the management and treatment of back pain. *JAMA Intern Med*. 2013; 173: 1573– 1581. <http://dx.doi.org/10.1001/jamainternmed.2013.8992>
28. Mannion AF, Brox JI, Fairbank JC. Consensus at last! Long-term results of all randomized controlled trials show that fusion is no better than non-operative care in improving pain and disability in chronic low back pain. *Spine J*. 2016; 16: 588– 590. <http://dx.doi.org/10.1016/j.spinee.2015.12.001>
29. Marchand F, Perretti M, McMahon SB. Role of the immune system in chronic pain. *Nat Rev Neurosci*. 2005; 6: 521– 532. <http://dx.doi.org/10.1038/nrn1700>
30. Menke JM. Do manual therapies help low back pain? A comparative effectiveness meta-analysis. *Spine (Phila Pa 1976)*. 2014; 39: E463– E472. <http://dx.doi.org/10.1097/BRS.0000000000000230>
31. Moseley GL, Butler DS. Fifteen years of explaining pain: the past, present, and future. *J Pain*. 2015; 16: 807– 813. <http://dx.doi.org/10.1016/j.jpain.2015.05.005>
32. O'Keeffe M, Cullinane P, Hurley J, et al. What influences patient-therapist interactions in musculoskeletal physical therapy? Qualitative systematic review and meta-synthesis. *Phys Ther*. 2016; 96: 609– 622. <http://dx.doi.org/10.2522/ptj.20150240>
33. O'Keeffe M, Purtill H, Kennedy N, et al. Comparative effectiveness of conservative interventions for nonspecific chronic spinal pain: physical, behavioral/psychologically informed, or combined? A systematic review and meta-analysis. *J Pain*. 2016; 17: 755– 774. <http://dx.doi.org/10.1016/j.jpain.2016.01.473>
34. O'Keeffe M, Purtill H, Kennedy N, et al. Individualised cognitive functional therapy compared with a combined exercise and pain education class for patients with non-specific chronic low back pain: study protocol for a multicentre randomised controlled trial. *BMJ Open*. 2015; 5: e007156. <http://dx.doi.org/10.1136/bmjopen-2014-007156>
35. O'Sullivan P. Diagnosis and classification of chronic low back pain disorders: maladaptive movement and motor control impairments as underlying mechanism. *Man Ther*. 2005; 10: 242– 255. <http://dx.doi.org/10.1016/j.math.2005.07.001>
36. O'Sullivan P. It's time for change with the management of non-specific chronic low back pain. *Br J Sports Med*. 2012; 46: 224– 227. <http://dx.doi.org/10.1136/bjism.2010.081638>
37. Pinheiro MB, Ferreira ML, Refshauge K, et al. Symptoms of depression as a prognostic factor for low back pain: a systematic review. *Spine J*. 2016; 16: 105– 116. <http://dx.doi.org/10.1016/j.spinee.2015.10.037>
38. Rabey M, Beales D, Slater H, O'Sullivan P. Multidimensional pain profiles in four cases of chronic non-specific axial low back pain: an examination of the limitations of contemporary classification systems. *Man Ther*. 2015; 20: 138– 147. <http://dx.doi.org/10.1016/j.math.2014.07.015>

39. Saner J, Kool J, Sieben JM, Luomajoki H, Bastiaenen CH, de Bie RA. A tailored exercise program versus general exercise for a subgroup of patients with low back pain and movement control impairment: a randomised controlled trial with one-year follow-up. *Man Ther.* 2015; 20: 672– 679.
<http://dx.doi.org/10.1016/j.math.2015.02.005>
40. Shiri R, Karppinen J, Leino-Arjas P, Solovieva S, Viikari-Juntura E. The association between obesity and low back pain: a meta-analysis. *Am J Epidemiol.* 2010; 171: 135– 154. <http://dx.doi.org/10.1093/aje/kwp356>
41. Sloan TJ, Walsh DA. Explanatory and diagnostic labels and perceived prognosis in chronic low back pain. *Spine (Phila Pa 1976).* 2010; 35: E1120– E1125.
<http://dx.doi.org/10.1097/BRS.0b013e3181e089a9>
42. Smeets RJ, Vlaeyen JW, Kester AD, Knottnerus JA. Reduction of pain catastrophizing mediates the outcome of both physical and cognitive-behavioral treatment in chronic low back pain. *J Pain.* 2006; 7: 261– 271.
<http://dx.doi.org/10.1016/j.jpain.2005.10.011>
43. Smith BE, Littlewood C, May S. An update of stabilisation exercises for low back pain: a systematic review with meta-analysis. *BMC Musculoskelet Disord.* 2014; 15: 416. <http://dx.doi.org/10.1186/1471-2474-15-416>
44. Staal JB, de Bie RA, de Vet HC, Hildebrandt J, Nelemans P. Injection therapy for subacute and chronic low back pain: an updated Cochrane review. *Spine (Phila Pa 1976).* 2009; 34: 49– 59. <http://dx.doi.org/10.1097/BRS.0b013e3181909558>
45. Testa M, Rossetini G. Enhance placebo, avoid nocebo: how contextual factors affect physiotherapy outcomes. *Man Ther.* 2016; 24: 65– 74.
<http://dx.doi.org/10.1016/j.math.2016.04.006>
46. Thomas JS, France CR. Pain-related fear is associated with avoidance of spinal motion during recovery from low back pain. *Spine (Phila Pa 1976).* 2007; 32: E460– E466. <http://dx.doi.org/10.1097/BRS.0b013e3180bc1f7b>
47. Van Dillen LR, Norton BJ, Sahrman SA, et al. Efficacy of classification-specific treatment and adherence on outcomes in people with chronic low back pain. A one-year follow-up, prospective, randomized, controlled clinical trial. *Man Ther.* 2016; 24: 52– 64. <http://dx.doi.org/10.1016/j.math.2016.04.003>
48. Vibe Fersum K, O'Sullivan P, Skouen JS, Smith A, Kvåle A. Efficacy of classification-based cognitive functional therapy in patients with non-specific chronic low back pain: a randomized controlled trial. *Eur J Pain.* 2013; 17: 916– 928.
<http://dx.doi.org/10.1002/j.1532-2149.2012.00252.x>
49. Vlaeyen JW, Linton SJ. Fear-avoidance model of chronic musculoskeletal pain: 12 years on. *Pain.* 2012; 153: 1144– 1147. <http://dx.doi.org/10.1016/j.pain.2011.12.009>
50. Wai EK, Roffey DM, Bishop P, Kwon BK, Dagenais S. Causal assessment of occupational bending or twisting and low back pain: results of a systematic review. *Spine J.* 2010; 10: 76– 88. <http://dx.doi.org/10.1016/j.spinee.2009.06.005>
51. Wand BM, Parkitny L, O'Connell NE, et al. Cortical changes in chronic low back pain: current state of the art and implications for clinical practice. *Man Ther.* 2011; 16: 15– 20. <http://dx.doi.org/10.1016/j.math.2010.06.008>